



# Pumps And Hydronic Kits: AMP



MODEL	Kit PN#	Description	Part Number
<b>PLEASE NOTE: FOR SIZES 400-1000: All pumps are sized for ** APPROXIMATELY ** 30°F delta T and are sized for Near Unit Piping (20 ft. Straight Pipe, [6] 90° Elbows and [2] Full Port Ball Valves).</b>			
<b>PLEASE NOTE: FOR SIZES 1000-4000: All pumps are sized for ** APPROXIMATELY ** 30°F delta T and are sized for Near Unit Piping (30 ft. Straight Pipe, [6] 90° Elbows and [2] Full Port Ball Valves).</b>			
Model - 400	109938-21	<b>Grundfos pump model UPS 43-100 F, Cast Iron, 115V/1PH, 1/2 Hp, 3-Speed, 1-1/2", #95906636, 18.5 lbs</b>	<b>103657-02</b>
		Grundfos pump flange kit, GF 40/43, Cast Iron, 1-1/2" NPT Flange Fitting Set, #539605, 3.2 lbs	107372-01
		Nipple, 1-1/2" Npt X Close Sch40 (2 qty)	806600019
		Coupling, Reducing, 2" X 1-1/2", 150# (2 qty)	806602566
	Condensate Neutralizer - 600 MBH Capacity	107860-08	
	111851-01	<b>Taco pump model 0013, Cast Iron, 115v/1PH, 1/6Hp, 1-1/2", #0013-HBF3-J, 12 lbs</b>	<b>105148-01</b>
Taco pump flange kit, Cast Iron, 1-1/2" NPT Flange Fitting Set, #110-254, 2 lbs		6056006	
Condensate Neutralizer - 600 MBH Capacity		107860-08	
Model - 500	109938-21	<b>Grundfos pump model UPS 43-100 F, Cast Iron, 115V/1PH, 1/2 Hp, 3-Speed, 1-1/2", #95906636, 18.5 lbs</b>	<b>103657-02</b>
		Grundfos pump flange kit, GF 40/43, Cast Iron, 1-1/2" NPT Flange Fitting Set, #539605, 3.2 lbs	107372-01
		Nipple, 1-1/2" Npt X Close Sch40 (2 qty)	806600019
		Coupling, Reducing, 2" X 1-1/2", 150# (2 qty)	806602566
	Condensate Neutralizer - 600 MBH Capacity	107860-08	
	111851-02	<b>Taco pump model 2400-60, Cast Iron, 115v/1PH, 1/6Hp, 2", #2400-60-3P, 18 lbs</b>	<b>105771-01</b>
Taco pump flange kit, Cast Iron, 2" NPT Flange Fitting Set, #185-086C, 2 lbs		105772-01	
Condensate Neutralizer - 600 MBH Capacity		107860-08	
Model - 650	109938-22	<b>Grundfos pump model UPS 43-100 F, Cast Iron, 115V/1PH, 1/2 Hp, 3-Speed, 1-1/2", #95906636, 18.5 lbs</b>	<b>103657-02</b>
		Grundfos pump flange kit, GF 40/43, Cast Iron, 1-1/2" NPT Flange Fitting Set, #539605, 3.2 lbs	107372-01
		Nipple, 1-1/2" Npt X Close Sch40 (2 qty)	806600019
		Coupling, Reducing, 2" X 1-1/2", 150# (2 qty)	806602566
	Condensate Neutralizer - 850 MBH Capacity	107860-09	
	111851-03	<b>Taco pump model 2400-60, Cast Iron, 115v/1PH, 1/6Hp, 2", #2400-60-3P, 18 lbs</b>	<b>105771-01</b>
Taco pump flange kit, Cast Iron, 2" NPT Flange Fitting Set, #185-086C, 2 lbs		105772-01	
Condensate Neutralizer - 850 MBH Capacity		107860-09	
Model - 800	109938-22	<b>Grundfos pump model UPS 43-100 F, Cast Iron, 115V/1PH, 1/2 Hp, 3-Speed, 1-1/2", #95906636, 18.5 lbs</b>	<b>103657-02</b>
		Grundfos pump flange kit, GF 40/43, Cast Iron, 1-1/2" NPT Flange Fitting Set, #539605, 3.2 lbs	107372-01
		Nipple, 1-1/2" Npt X Close Sch40 (2 qty)	806600019
		Coupling, Reducing, 2" X 1-1/2", 150# (2 qty)	806602566
	Condensate Neutralizer - 850 MBH Capacity	107860-09	
	111851-05	<b>Taco pump model 2400-65, Cast Iron, 115v/1PH, 1/3Hp, 2", #2400-65-3P, 22 lbs</b>	<b>105839-01</b>
Taco pump flange kit, Cast Iron, 2" NPT Flange Fitting Set, #185-086C, 2 lbs		105772-01	
Condensate Neutralizer - 850 MBH Capacity		107860-09	
Model - 1000	109938-23	<b>Grundfos pump model UPS 50-60 F, Cast Iron, 115V/1PH, 1/2 Hp, 3-Speed, 2", #97523134, 21.2 lbs</b>	<b>109876-21</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
		Condensate Neutralizer - 1,200 MBH Capacity	107860-06
	111851-04	<b>Taco pump model 2400-70, Cast Iron, 115v/1PH, 1/2Hp, 2", #2400-70-3P, 23 lbs</b>	<b>105840-01</b>
Taco pump flange kit, Cast Iron, 2" NPT Flange Fitting Set, #185-086C, 2 lbs	105772-01		
Condensate Neutralizer - 1,200 MBH Capacity	107860-06		
Model - 1250 C	109938-05	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 115V/1PH, 3/4 Hp, 2", #96402834, 55 lbs</b>	<b>109876-19</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
Model - 1500 C	109938-24	<b>Grundfos pump model MAGNA 50-150, Cast Iron, 115V/1PH, 3/4 Hp, 2", # 98126815, 48 lbs</b>	<b>110028-05</b>
		Grundfos pump flange kit, GF 53, Cast Iron, 2" NPT Flange Fitting Set, #91584910, 12 lbs	109880-01
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07



# Pumps And Hydronic Kits: AMP



MODEL	Kit PN#	Description	Part Number
<b>PLEASE NOTE: FOR SIZES 400-1000: All pumps are sized for ** APPROXIMATELY ** 30°F delta T and are sized for Near Unit Piping (20 ft. Straight Pipe, [6] 90° Elbows and [2] Full Port Ball Valves).</b>			
<b>PLEASE NOTE: FOR SIZES 1000-4000: All pumps are sized for ** APPROXIMATELY ** 30°F delta T and are sized for Near Unit Piping (30 ft. Straight Pipe, [6] 90° Elbows and [2] Full Port Ball Valves).</b>			
Model - 1000 (Gen 1)	109938-06	<b>Grundfos pump model UP 53-46 F, Cast Iron, 115-230V/1PH, 3/4 Hp, 1-Speed, 2", #96633591, 53 lbs</b>	<b>109876-20</b>
		Grundfos pump flange kit, GF 53, Cast Iron, 2" NPT Flange Fitting Set, #91584910, 12 lbs	109880-01
		Condensate Neutralizer - 1,200 MBH Capacity	107860-06
Model - 1250 (Gen 1)	109938-05	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 115V/1PH, 3/4 Hp, 2", #96402834, 55 lbs</b>	<b>109876-19</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
	109938-07	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 230V/1PH, 3/4 Hp, 2", #96402836, 54 lbs</b>	<b>109876-18</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
Model - 1500 (Gen 1)	109938-05	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 115V/1PH, 3/4 Hp, 2", #96402834, 55 lbs</b>	<b>109876-19</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
	109938-07	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 230V/1PH, 3/4 Hp, 2", #96402836, 54 lbs</b>	<b>109876-18</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
	109938-09	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 208-230V/3PH, 3/4 Hp, 2", #96402838, 54 lbs</b>	<b>109876-04</b>
		Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02
Condensate Neutralizer - 2,000 MBH Capacity		107860-07	
109938-20	<b>Grundfos pump model UPS 50-80/2 F, Cast Iron, 460V/3PH, 3/4 Hp, 2-Speed, 2", #96402840, 54 lbs</b>	<b>109876-05</b>	
	Grundfos pump flange kit, GF 50, Cast Iron, 2" NPT Flange Fitting Set, #96409354, 6 lbs	109880-02	
	Condensate Neutralizer - 2,000 MBH Capacity	107860-07	
Model - 2000	110035-01	<b>Grundfos pump model MAGNA1 100-120 GF, Cast Iron, 208-230V/1PH, 2 Hp, 4", #98126859, 82 lbs</b>	<b>110028-01</b>
		Grundfos pump flange kit, GF 100, Cast Iron, 4" NPT Flange Fitting Set, #579801, 33 lbs	109880-04
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
	109938-10	<b>Grundfos pump model UPS 80-80 F, Cast Iron, 208-230V/3PH, 1-1/2 Hp, 3", #96402908, 95 lbs</b>	<b>109876-07</b>
		Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03
		Condensate Neutralizer - 2,000 MBH Capacity	107860-07
109938-12	<b>Grundfos pump model UPS 80-160/2 F, Cast Iron, 460V/3PH, 3 Hp, 2-Speed, 3", #96402921, 90 lbs</b>	<b>109876-08</b>	
	Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03	
	Condensate Neutralizer - 2,000 MBH Capacity	107860-07	
Model - 2500	110035-02	<b>Grundfos pump model MAGNA1 100-120 GF, Cast Iron, 208-230V/1PH, 2 Hp, 4", #98126859, 82 lbs</b>	<b>110028-01</b>
		Grundfos pump flange kit, GF 100, Cast Iron, 4" NPT Flange Fitting Set, #579801, 33 lbs	109880-04
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
	109938-14	<b>Grundfos pump model UPS 80-80 F, Cast Iron, 208-230V/3PH, 1-1/2 Hp, 3", #96402908, 95 lbs</b>	<b>109876-07</b>
		Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
109938-04	<b>Grundfos pump model UPS 80-160/2 F, Cast Iron, 460V/3PH, 3 Hp, 2-Speed, 3", #96402921, 90 lbs</b>	<b>109876-08</b>	
	Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03	
	Condensate Neutralizer - 5,000 MBH Capacity	107860-05	
Model - 3000	109938-15	<b>Grundfos pump model MAGNA1 100-120 GF, Cast Iron, 208-230V/1PH, 2 Hp, 4", #98126859, 82 lbs</b>	<b>110028-01</b>
		Grundfos pump flange kit, GF 100, Cast Iron, 4" NPT Flange Fitting Set, #579801, 33 lbs	109880-04
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
	109938-15	<b>Grundfos pump model UPS 80-160/2 F, Cast Iron, 208-230V/3PH, 3 Hp, 3", #96402920, 97 lbs</b>	<b>109876-09</b>
		Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
109938-04	<b>Grundfos pump model UPS 80-160/2 F, Cast Iron, 460V/3PH, 2-Speed, 3 Hp, 3", #96402921, 90 lbs</b>	<b>109876-08</b>	
	Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03	
	Condensate Neutralizer - 5,000 MBH Capacity	107860-05	



# Pumps And Hydronic Kits: AMP



MODEL	Kit PN#	Description	Part Number
<b>PLEASE NOTE: FOR SIZES 400-1000: All pumps are sized for ** APPROXIMATELY ** 30°F delta T and are sized for Near Unit Piping (20 ft. Straight Pipe, [6] 90° Elbows and [2] Full Port Ball Valves).</b>			
<b>PLEASE NOTE: FOR SIZES 1000-4000: All pumps are sized for ** APPROXIMATELY ** 30°F delta T and are sized for Near Unit Piping (30 ft. Straight Pipe, [6] 90° Elbows and [2] Full Port Ball Valves).</b>			
Model - 3500	110035-02	<b>Grundfos pump model MAGNA1 100-120 GF, Cast Iron, 208-230V/1PH, 2 Hp, 4", #98126859, 82 lbs</b>	<b>110028-01</b>
		Grundfos pump flange kit, GF 100, Cast Iron, 4" NPT Flange Fitting Set, #579801, 33 lbs	109880-04
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
	109938-15	<b>Grundfos pump model UPS 80-160/2 F, Cast Iron, 208-230V/3PH, 3 Hp, 3", #96402920, 97 lbs</b>	<b>109876-09</b>
		Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
	109938-04	<b>Grundfos pump model UPS 80-160/2 F, Cast Iron, 460V/3PH, 2-Speed, 3 Hp, 3", #96402921, 90 lbs</b>	<b>109876-08</b>
		Grundfos pump flange kit, GF 80, Cast Iron, 3" NPT Flange Fitting Set, #569601, 19 lbs	109880-03
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
Model - 4000	110035-02	<b>Grundfos pump model MAGNA1 100-120 GF, Cast Iron, 208-230V/1PH, 2 Hp, 4", #98126859, 82 lbs</b>	<b>110028-01</b>
		Grundfos pump flange kit, GF 100, Cast Iron, 4" NPT Flange Fitting Set, #579801, 33 lbs	109880-04
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05
	109938-17	<b>Grundfos pump model TP 100-80/4 BUBE, Cast Iron, 208-230-460V/3PH, 2 Hp, 4", #96411847, 167 lbs</b>	<b>109876-11</b>
		Grundfos pump flange kit, GF 100, Cast Iron, 4" NPT Flange Fitting Set, #579801, 33 lbs	109880-04
		Condensate Neutralizer - 5,000 MBH Capacity	107860-05